ELSEVIER

Applied Numerical Mathematics 33 (2000) v–ix

APPLIED NUMERICAL MATHEMATICS

www.elsevier.nl/locate/apnum

APPLIED NUMERICAL MATHEMATICS
VOLUME 33, COMPLETE, MAY 2000

SPECIAL ISSUE
PROCEEDINGS OF THE FOURTH INTERNATIONAL CONFERENCE ON SPECTRAL AND HIGH ORDER METHODS (ICOSAHOM 1998)

GUEST EDITORS:
JAN S. HESTHAVEN, DAVID GOTTLIEB, ELI TURKEL

CONTENTS

Introduction

ICOSAHOM 1998 Conference 1

I. Invited talks

A. Gelb and E. Tadmor
Enhanced spectral viscosity approximations for conservation laws 3

J.S. Hesthaven
Spectral penalty methods 23

A.-M. Matache and Ch. Schwab
Homogenization via p-FEM for problems with microstructure 43

E.H. Mund
A short survey on preconditioning techniques in spectral calculations 61

Z. Yosibash
Computing singular solutions of elliptic boundary value problems in polyhedral domains using the p-FEM 71

II. Finite difference methods

I. Bar-On, Å. Edlund and U. Peskin
Parallel solution of the multidimensional Helmholtz/Schroedinger equation using high order methods 95

J. Reuter and D. Rempfer
High order vorticity–velocity method for the simulation of pipe flow transition 105

E. Turkel and A. Yefet
On the construction of a high order difference scheme for complex domains in a Cartesian grid 113

A. Yefet and E. Turkel
Fourth order compact implicit method for the Maxwell equations with discontinuous coefficients 125

III. Spectral methods

F. Auteri and L. Quartapelle
Spectral influence matrix for vorticity without corner pathology 135

R. Baltensperger
Improving the accuracy of the matrix differentiation method for arbitrary collocation points 143

B. Costa and W.S. Don
On the computation of high order pseudospectral derivatives 151

H. Herrero and A.M. Mancho
Numerical modeling in Chebyshev collocation methods applied to stability analysis of convection problems 161

W. Huang and T. Tang
Pseudospectral solutions for steady motion of a viscous fluid inside a circular boundary 167

J.P. Lynov, K. Bergeron, E.A. Coutsias and A.H. Nielsen
An accurate and efficient spectral method for studies of the dynamical properties of forced, circular shear layers 175

J. Shen
A new fast Chebyshev–Fourier algorithm for Poisson-type equations in polar geometries 183

W.F. Spotz, M.A. Taylor and P.N. Swarztrauber
Fast and high-order solutions to the spherical shallow water equations 191

IV. Spectral element and multidomain methods

P.G. Dinesen, J.S. Hesthaven and J.P. Lynov
A pseudospectral collocation time-domain method for diffractive optics 199

M.Y. Forestier, R. Pasquetti, R. Peyret and C. Sabbah
Spatial development of wakes using a spectral multi-domain method 207

J. de Frutos and J. Novo
A postprocess based improvement of the spectral element method 217

M.I. Gerritsma and T.N. Phillips
Compatible approximation spaces for the velocity–pressure–stress formulation for creeping flows 225

O. Louchart and A. Randriamampianina
A spectral iterative domain decomposition technique for the incompressible Navier–Stokes equations 233

E. Magère and M.O. Deville
Simulation of the Taylor–Couette flow in a finite geometry by spectral element method 241

R.M. Phillips and T.N. Phillips
Flow past a cylinder using a semi-Lagrangian spectral element method 251

M.A. Taylor and B.A. Wingate
A generalized diagonal mass matrix spectral element method for non-quadrilateral elements 259

K.L. Tse
Simulation of penetrative convection with adaptive spectral domain decomposition method 267

D. Wilhelm and L. Kleiser
Stable and unstable formulations of the convection operator in spectral element simulations 275

B. Yang and J.S. Hesthaven
Multidomain pseudospectral computation of Maxwell's equations in 3-D general curvilinear coordinates 281

V. Wavelet and spline methods

V. Comincioli, G. Naldi and T. Scapolla
A wavelet-based method for numerical solution of nonlinear evolution equations 291

B. Li, G. Fairweather and B. Bialecki
A Crank–Nicolson orthogonal spline collocation method for vibration problems 299

A. Tangborn and S.Q. Zhang
Wavelet transform adapted to an approximate Kalman filter system 307

J. Waldén
A general adaptive solver for hyperbolic PDEs based on filter bank subdivisions 317

VI. *hp* and spectral/*hp* methods

A. Sidi and D. Givoli
Stability and accuracy of optimal local non-reflecting boundary conditions 327

S.K. Godunov, M. Sadkane and M. Robbé
Smoothing techniques and computation of invariant subspaces of elliptic operators 341

D. Schötzau, K. Gerdes and C. Schwab
Stable and stabilized hp–finite element methods for the Stokes problem 349

S.J. Sherwin and M. Ainsworth
Unsteady Navier–Stokes solvers using hybrid spectral/hp element methods 357

J. Valenciano and R.G. Owens
An $h-p$ adaptive spectral element method for Stokes flow 365

VII. Methods for conservation laws

K. Black
Spectral element approximation of convection–diffusion type problems 373

M. Fournié
High order conservative difference methods for 2D drift-diffusion model on non-uniform grid 381

R.M. Kirby, T.C. Warburton, I. Lomtev and G.E. Karniadakis
A discontinuous Galerkin spectral/hp method on hybrid grids 393

D. Levy, G. Puppo and G. Russo
On the behavior of the total variation in CWENO methods for conservation laws 407

D. Levy, G. Puppo and G. Russo
A third order central WENO scheme for 2D conservation laws 415

O. Lepsky, C. Hu and C.-W. Shu
Analysis of the discontinuous Galerkin method for Hamilton–Jacobi equations 423

VIII. Temporal integration and preconditioning

P.Z. Bar-Yoseph
Time finite element methods for initial value problems 435

N. Heuer
Schwarz method for systems of boundary integral equations 447

G.-S. Karamanos and S.J. Sherwin
A high order splitting scheme for the Navier–Stokes equations with variable viscosity 455

L.F. Pavarino
Domain decomposition methods with small overlap for $Q_n - Q_{n-2}$ spectral elements 463

J. Shen, F. Wang and J. Xu
A finite element multigrid preconditioner for Chebyshev–collocation methods 471

Introduction to the Ryaben'kii workshop

V.S. Ryaben'kii 479

V. Ryaben'kii
Nonreflecting time-dependent boundary conditions on artificial boundaries of varying location and shape 481

B. Gustafsson and L. Hemmingsson-Frändén
Implicit high-order difference methods and domain decomposition for hyperbolic problems 493

D.S. Kamenetskii
On one form of representing the difference potentials 501

M. Goldberg
Stability criteria for finite difference approximations to parabolic systems 509

P.G. Petropoulos
Reflectionless sponge layers for the numerical solution of Maxwell's equations in cylindrical and spherical coordinates 517

Y.B. Radvogin and N.A. Zaitsev
A locally implicit second order accurate difference scheme for solving 2D time-dependent hyperbolic systems and Euler equations 525

V.S. Ryaben'kii and I.L. Sofronov
Difference potentials for the Helmholtz equation in exterior domains 533

Author Index—Volume 33 (2000) 495